BBA

Biomembranes

Vol. 1062, 1991

# Cumulative Contents

## Regular Papers

Analysis of the chainlength dependence of lipid phase transition temperatures: main and pretransitions of phosphatidylcholines; main and non-lamellar transitions of phosphatidylethanolamines
*D. Marsh (F.R.G.)* 1

Liposomes having high sensitivity to odorants
*S. Enomoto, M. Kashiwayanagi and K. Kurihara (Japan)* 7

Selection of hybrid plants obtained by electrofusion of vacuolated × evacuolated plant protoplasts in hypo-osmolar solution
*E. Pfister, G. Klöck and U. Zimmermann (F.R.G.)* 13

Effect of temperature on sodium-calcium exchange in sarcolemma from mammalian and amphibian hearts
*M.M. Bersohn, R. Vemuri, D.W. Schuil, R.S. Weiss and K.D. Philipson (U.S.A.)* 19

A model for the extracellular release of PAF: the influence of plasma membrane phospholipid asymmetry
*D.L. Bratton, J.M. Kailey, K.L. Clay and P.M. Henson (U.S.A.)* 24

Inhibition of the erythrocyte $(Ca^{2+} + Mg^{2+})$-ATPase by nonheme iron
*L. Leclerc, M. Marden and C. Poyart (France)* 35

Functional expression of the CD4 protein after cross-linking to red blood cells with a bifunctional reagent
*T. Idziorek and D. Klatzmann (France)* 39

Mechanism of hemolysis of red blood cell mediated by ethanol
*L.-M. Chi and W. Wu (China)* 46

Long-term intercalation of residual hemin in erythrocyte membranes distorts the cell
*I. Solar, U. Muller-Eberhard, Y. Shviro and N. Shaklai (Israel, U.S.A.)* 51

Polymorphism of the bilayer membranes in the ordered phase and the molecular origin of the lipid pretransition and rippled lamellae
*G. Cevc (F.R.G.)* 59

Cholesterol does not remove the gel-liquid crystalline phase transition of phosphatidylcholines containing two polyenoic acyl chains
*N. Kariel, E. Davidson and K.M.W. Keough (Canada)* 70

Influence of surface hydrophilicity of liposomes on their interaction with plasma protein and clearance from the circulation: studies with poly(ethylene glycol)-coated vesicles
*J. Senior, C. Delgado, D. Fisher, C. Tilcock and G. Gregoriadis (U.K., Canada)* 77

Glucose transport kinetics in human red blood cells
*P.K. Gasbjerg and J. Brahm (Denmark)* 83

Melittin induced voltage-dependent conductance in DOPC lipid bilayers
*M. Pawlak, S. Stankowski and G. Schwarz (Switzerland)* 94

## Reports

Core-coat conductor of lipid bilayer and micromachined silicon
*P. Fromherz and J. Klingler (F.R.G.)* 103

Size and stability of dipalmitoylphosphatidylcholine/cholesterol unilamellar vesicles are affected by interaction with proteins
*L. Dini, A. Di Giulio, A. Pavan, G. Ravagnan and G. Mossa (Italy)* 108

Further evidence for a simple $Cl^-$ conductance pathway in nutrient membrane of frog stomach
*M. Schwartz, T.L. Holloman, J. Zhang and G. Carrasquer (U.S.A.)* 113

## Regular Papers

The effect of surface-bound protein on the permeability of proteoliposomes
*S.E. Francis, I.G. Lyle and M.N. Jones (U.K.)* 117

The effects of glycerol on the phase behaviour of hydrated distearoylphosphatidylethanolamine and its possible relation to the mode of action of cryoprotectants
*W.P. Williams, P.J. Quinn, L.I. Tsonev and R.D. Koynova (U.K., Bulgaria)* 123

Lipid polymorphism as observed by cryo-electron microscopy
*P.M. Frederik, K.N.J. Burger, M.C.A. Stuart and A.J. Verkleij (The Netherlands)* 133

*continued*

Activity of amphipathic poly(ethylene glycol) 5000 to prolong the circulation time of liposomes depends on the liposome size and is unfavorable for immunoliposome binding to target
*A.L. Klibanov, K. Maruyama, A.M. Beckerleg, V.P. Torchilin and L. Huang (U.S.A., U.S.S.R.)* 142

Proton transport at the monolayer-water interface
*H. Morgan, D.M. Taylor and O.N. Oliveira Jr. (U.K.)* 149

Domains of yeast plasma membrane and ATPase-associated glycoprotein
*R. Serrano, C. Montesinos, M. Roldán, G. Garrido, C. Ferguson, K. Leonard, B.C. Monk, D.S. Perlin and E.W. Weiler (F.R.G., U.S.A.)* 157

On the structure of immune-stimulating saponin-lipid complexes (iscoms)
*G.F.A. Kersten, A. Spiekstra, E.C. Beuvery and D.J.A. Crommelin (The Netherlands)* 165

X-ray diffraction evidence for the presence of discrete water layers on the surface of membranes
*N.S. Murthy and C.R. Worthington (U.S.A.)* 172

The interaction between aspartic acid 237 and lysine 358 in the lactose carrier of *Escherichia coli*
*S.C. King, C.L. Hansen and T.H. Wilson (U.S.A.)* 177

*myo*-Inositol transport in rat intestinal brush border membrane vesicles, and its inhibition by D-glucose
*V. Scalera, D. Natuzzi and G. Prezioso (Italy)* 187

Calcium-dependent transient potassium outward current in the marine ciliate *Euplotes vannus*
*T. Krüppel, R. Westermann and W. Lueken (F.R.G)* 193

The effect of chronic ethanol consumption on the fatty acid composition of phosphatidylinositol in rat liver microsomes as determined by gas chromatography and $^1$H-NMR
*J.S. Ellingson, N. Janes, T.F. Taraschi and E. Rubin (U.S.A.)* 199

Growth inhibition of *Plasmodium falciparum* in in vitro cultures by selective action of tryptophan-*N*-formylated gramicidin incorporated in lipid vesicles
*G.N. Moll, V. Van den Eertwegh, H. Tournois, B. Roelofsen, J.A.F. Op den Kamp and L.L.M. Van Deenen (The Netherlands)* 206

Structure and thermotropic properties of hydrated *N*-stearoyl sphingomyelin bilayer membranes
*P.R. Maulik, P.K. Sripada and G.G. Shipley (U.S.A.)* 211

Phase behaviour of amphotericin B multilamellar vesicles
*K.S. Hamilton, K.R. Barber, J.H. Davis, K. Neil and C.W.M. Grant (Canada)* 220

A general model for the interaction of foreign molecules with lipid membranes: drugs and anaesthetics
*K. Jørgensen, J.H. Ipsen, O.G. Mouritsen, D. Bennett and M.J. Zuckermann (Denmark, Canada)* 227

A study of membrane potential across isolated fruit cuticles for NaCl and $CaCl_2$ solutions
*A. Heredia and J. Benavente (Spain)* 239

Oligomerisation of cell-bound staphylococcal α-toxin in relation to membrane permeabilisation
*M. Thelestam, A. Olofsson, L. Blomqvist and H. Hebert (Sweden)* 245

Protection by GTP from the effects of aluminum on the sodium efflux in barnacle muscle fibers
*Y.-P. Huang and E.E. Bittar (U.S.A.)* 255

A novel 57 kDa peroxisomal membrane polypeptide detected by monoclonal antibody (PXM1a/207B)
*T. Imanaka, P.B. Lazarow and T. Takano (Japan, U.S.A.)* 264

Functional reconstitution of the malate carrier of barley mesophyll vacuoles in liposomes
*E. Martinoia, E. Vogt, D. Rentsch and N. Amrhein (Switzerland)* 271

*Author Index* 281